

We offer our distributors the following:

- Spill kits according to your specifications
- Your own label on our products
- Training and technical support
- New products so that you stand out in the market place

To discuss this opportunity further please contact Erce at +49 761 45897781 or send an email to [fetufekci@oread.eu](mailto:fetufekci@oread.eu)

## **Oread GmbH**

Feldhof 23, Zug 6300

[info@oread.eu](mailto:info@oread.eu)

<http://www.oread.eu>

(041) 761 3603

(041) 761 3604

# Table of Contents

<b>Oil-only absorbents</b>	<b>4</b>
Oil-only absorbent pads and rolls	4
Padex 100 MP	4
Padex 100 ME	5
Roldex MP	6
Roldex ME	7
Roldex MPO	8
DTO 25	8
TS 553 Oread oil-only test-set	9
Oil-only absorbent granules	10
P 10	10
Spagex 4.5	11
Oil-only absorbent booms, socks and pillows	11
Bariboom 4 M	11
Bariboom 4 MS	12
Barisock M	13
Barisock M XXL	14
DPPO	14
DPPO R	15
Barisump 10 M	15
TS 553 Oread oil-only test-set	16
Oil-only spill kits	17
MSK 203 B	17
MSK 508 B	18
OSK 104 C	19
<b>Universal absorbents</b>	<b>20</b>
Universal absorbent pads and rolls	20
Padex 100 UEP	20
Padex 100 UP	20
DTU 25	22
Roldex UP	22
Roldex UEP	24
Samsonex NP	24
Samsonex NPB	25
Absorbent granules	26
AP2000	26
AU1000	27
OG 30	27
Universal absorbent socks and pillows	28
Bariex U	28
DPPU	29
DPPU R	30
Universal spill kits	30
USK 203 B	30
USK 508 B	31
USK 104 C	32

<b>Emergency repairs</b>	<b>33</b>
PS PM	33
PS G	34
ES 113	34
Joband	36
RNDC 01	37
RPDC 90	38
RPDC 60	38
<b>Degreaser</b>	<b>39</b>
Citro 3000	39

Oil-only absorbents

## Oil-only absorbent pads and rolls

### Padex 100 MP



Low-linting premium oil-only absorbent pads

**Price:** 46,80 €

**Category:** Ölbindevlies, Oil-only absorbent pads and rolls

**URL:**

<http://www.oread.eu/oil-o.../padex-100-mp-detail.html>

Padex 100 MP - low-linting premium oil-only absorbent pads preferentially absorb oil, whilst repelling water. They will remove oil from water and are used in internal and external situations, where oil needs to be absorbed without saturating the absorbent with water. Padex 100 MP have a polypropylene core with a fine fiber layer on both sides. This procedure makes the pads extremely low-linting and improves the absorption ability (wicking) and strength of the material. Their perforation makes them easily adjustable for all kinds of applications.

**Applications:** Padex 100 MP - low-linting premium oil-only absorbent pads are ideal for use in factories, on lakes, rivers, harbours or at sea and will remain afloat even when saturated with oil.

- \* 100% meltblown polypropylene covered with a fine fiber layer on both sides; won't rip, tear or fray even when saturated.
- \* Will absorb up to 25 times its own weight.
- \* Dimple pattern speeds wicking of liquid throughout the material for faster, easier cleanup.
- \* Absorbs and retains oils and oil-based liquids—including lubricants and fuels—without absorbing water
- \* Floats to clean up spills on water.
- \* Bright white color makes absorbed oil easier to see; draws attention to machine leaks and clearly shows saturation level during spill response.
- \* Perforated material is easy to tear to size so you only use what you need.
- \* Low-linting Premium Oil Only Absorbent Pads are ideal for catching drips and soaking up spills
- \* Flame-resistant material won't burn immediately like cellulose; melts when exposed to high heat while on the job.
- \* Non toxic, non reactive and fast acting.

Looking for a similar but more economic product - [click here](#)

### Parameters of product

Length in cm:	43
Width in cm:	48
Absorption in liter:	115
Weight in kg:	7.2
Pieces per unit:	100

Oil-only absorbents

## Oil-only absorbent pads and rolls

### Padex 100 ME



Economical oil-only absorbent pads

**Price:** 35,40 €

**Category:** Ölbindevlies, Oil-only absorbent pads and rolls

**URL:**

<http://www.oread.eu/oil-o.../padex-100-me-detail.html>

Economical oil-only absorbent pads, Padex 100 ME preferentially absorb oil, whilst repelling water. They will remove oil from water and are used in internal and external situations where oil needs to be absorbed without saturating the absorbent with water. Padex 100 ME are made of 100% polypropylene and are perforated so that it can be adjusted for all kinds of applications.

**Applications:** Padex 100 ME - economical oil-only absorbent pads are ideal for use in factories, on lakes, rivers, harbours or at sea and will remain afloat even when saturated with oil. Non toxic, non reactive and fast acting.

- \* 100% meltblown polypropylene; will absorb up to 25 times its own weight.
- \* Absorbs and retains oils and oil-based liquids—including lubricants and fuels—without absorbing water
- \* Floats to clean up spills on water.
- \* Bright white color makes absorbed oil easier to see; draws attention to machine leaks and clearly shows saturation level during spill response.
- \* Perforated material is easy to tear to size, so you only use what you need.
- \* Padex 100 ME are ideal for catching drips and soaking up spills.
- \* Flame-resistant material won't burn immediately like cellulose; melts when exposed to high heat while on the job.
- \* Non toxic, non reactive and fast acting.

For the premium version of this product - [click here](#)

### Parameters of product

Length in cm:	43
Width in cm:	48
Absorption in liter per unit:	99
Weight in kg per unit:	6.0
Pieces per unit:	100

Oil-only absorbents

## Oil-only absorbent pads and rolls

### Roldex MP



Low-linting premium oil only absorbent rolls

**Price:** 60,00 €

**Category:** Oil-only absorbent pads and rolls

**URL:** <http://www.oread.eu/oil-rolls/roldex-mp-detail.html>

Low-linting premium oil only absorbent rolls Roldex MP preferentially absorb oil, whilst repelling water. They will remove oil from water and are used in internal and external situations where oil needs to be absorbed without saturating the absorbent with water.

Roldex MP, the low-linting premium oil only absorbent rolls have a polypropylene core with a fine fiber layer on both sides. This procedure makes the pads extremely low-linting and improves the absorption ability (wicking) and strength of the material. Due to perforation it can be adjusted for all kinds of applications.

**Applications:** Low-linting premium oil only absorbent rolls Roldex MP are ideal for use in factories, on lakes, rivers, harbours or at sea and will remain afloat even when saturated with oil.

- \* 100% meltblown polypropylene covered with a fine fiber layer on both sides; won't rip, tear or fray even when saturated.
- \* Will absorb up to 16 times its own weight.
- \* Dimple pattern speeds wicking of liquid throughout the material for faster, easier cleanup.
- \* Absorbs and retains oils and oil-based liquids—including lubricants and fuels—without absorbing water
- \* Floats to clean up spills on water.
- \* Bright white color makes absorbed oil easier to see; draws attention to machine leaks and clearly shows saturation level during spill response.
- \* Perforated material is easy to tear to size so you only use what you need
- \* Low-linting Premium Oil Only Absorbent Rolls are ideal for catching drips and soaking

up spills

- \* Flame-resistant material won't burn immediately like cellulose; melts when exposed to high heat while on the job.
- \* Non toxic, non reactive and fast acting.

Looking for a similar but more economic product - [click here](#)

### Parameters of product

Length:	44 m
Width:	96 or 48 cm
Absorption:	237 l/unit
Weight:	14.8 kg/unit
Pieces per unit:	1 x 96 or 2 x 48 cm

Oil-only absorbents

## Oil-only absorbent pads and rolls Roldex ME



Economical oil only absorbent rolls

**Price:** 60,00 €

**Category:** Ölbindevlies, Oil-only absorbent pads and rolls

**URL:** <http://www.oread.eu/oil-o...lls/roldex-me-detail.html>

Roldex ME, economical oil only absorbent rolls preferentially absorb oil, whilst repelling water. They will remove oil from water and are used in internal and external situations where oil needs to be absorbed without saturating the absorbent with water.

Economical oil only absorbent rolls Roldex ME are made of 100% polypropylene and are perforated so that it can be adjusted for all kinds of applications.

**Applications:** Roldex ME, economical oil only absorbent rolls are ideal for use in factories, on lakes, rivers, harbours or at sea and will remain afloat even when saturated with oil.

- \* 100% meltblown polypropylene; will absorb up to 16 times its own weight.
- \* Absorbs and retains oils and oil-based liquids—including lubricants and fuels—without absorbing water
- \* Floats to clean up spills on water.
- \* Bright white color makes absorbed oil easier to see; draws attention to machine leaks and clearly shows saturation level during spill response.
- \* Perforated material is easy to tear to size so you only use what you need.
- \* Ideal for catching drips and soaking up spills.

- \* Flame-resistant material won't burn immediately like cellulose; melts when exposed to high heat while on the job.
- \* Non toxic, non reactive and fast acting.

For the premium low-linting version of this product, [click here](#)

### Parameters of product

Length:	44 m
Width:	96 or 48 cm
Absorption:	203 l/unit
Weight:	12.7 kg/unit
Pieces per unit:	1 x 96 or 2 x 48 cm

Oil-only absorbents

## Oil-only absorbent pads and rolls Roldex MPO



Oil-only absorbent sweep

**Price:** 78,00 €

**Category:** Oil-only absorbent pads and rolls

**URL:** <http://www.oread.eu/oil-o...ls/roldex-mpo-detail.html>

**Parameters of product:** Length: 30 m Width: 48 cm

Weight: 5,5 kg

Absorption: ca. 88 l/unit

Pieces per unit: 1

Oil-only absorbents

## Oil-only absorbent pads and rolls DTO 25





Oil-only absorbent drum toppers

**Price:** 26,40 €

**Category:** Ölbindevlies, Oil-only absorbent pads and rolls

**URL:** <http://www.oread.eu/oil-o...-rolls/dto-25-detail.html>

Absorb pump drips to keep drum tops clean and floors safe. Our oil only drum toppers prevent puddles and dirty rags from accumulating on top of your 200 liter drums.

\* Precut with hole for pump to provide a perfect fit on

200 liter drum tops

- \* Absorbs up to 25 times its own weight
- \* Soak up pump drips without cluttering up your work space with dirty rags
- \* 100% polypropylene covered with a fine fiber layer on both sides
- \* Dimple pattern speeds wicking of liquid for faster, easier cleanup
- \* Highly absorbent, dimpled pad won't leave behind liquids or fiber residue
- \* Absorbs oil products only
- \* Flame-resistant material won't burn immediately like cellulose mats; melts when exposed to high heat while on the job
- \* Non toxic, non reactive and fast acting

#### Parameters of product

Diameter:	55 cm
Absorption:	51 l/unit
Weight:	3,4 kg
Pieces per unit:	25

Oil-only absorbents

**Oil-only absorbent pads and rolls**

**TS 553 Oread oil-only test-set**



Ideal opportunity to test a selection of Oread sorbents

**Price:** 0,00 €

**Category:** Ölbindevlies, Öl (oil only), Oil-only absorbent pads and rolls, Oil-only absorbent booms, socks and pillows

**URL:** <http://www.oread.eu/oil-o...only-test-set-detail.html>

\* 5 premium low - linting oil-only pads (Padey 100 MP)

43 x 48 cm

\* 5 economical oil-only pads (Padex 100 ME) 43 x 48 cm

\* 3 oil-only socks (Barisock M) 120 x 7,5 cm

Weight: 1.9 kg

Oil-only absorbents

## Oil-only absorbent granules

### P 10



Oil-only absorbent particulate

**Price:** 39,60 €

**Category:** Oil-only absorbent granules

**URL:** <http://www.oread.eu/oil-o...granules/p-10-detail.html>

P 10 oil-only particulate improves cleanup with 100% polypropylene particulate to clean those hard-to-reach areas such as cracks and corners.

\* Great addition to an assortment of matting material to make sure 100% of a spill is cleaned up, also in those hard-to-reach areas

\* Absorbs all petroleum-based liquids without absorbing water

\* Absorbs up to 25 times its own weight

#### Parameters of product

Diameter: 1-2 cm

Absorption: 160 l/unit

Weight: 10 kg

Oil-only absorbents

## Oil-only absorbent granules

### Spagex 4.5



Oil-only absorbent spaghetti particulate

**Price:** 67,80 €

**Category:** Oil-only absorbent granules

**URL:** <http://www.oread.eu/oil-o...es/spagex-4.5-detail.html>

Spagex 4.5 - oil-only spaghetti particulate is mostly used to build a custom-made filtration system.

The pieces are cut in a patented way to make sure the sides are not closed off so that the pores of the pieces are fully open for absorption.

- \* Can be used in all types of filtration systems. For example a filter before an active carbon filtration system. This reduces the wear of the active carbon filter greatly.
- \* Absorbs all petroleum-based liquids without absorbing water
- \* Absorbs up to 25 times its own weight

#### Parameters of product

Diameter: 0.3 - 0.4 cm

Absorption: 72 l/unit

Weight: 4 kg

Oil-only absorbents

## Oil-only absorbent booms, socks and pillows

### Bariboom 4 M



Oil only absorbent booms (Ø 20 cm)

**Price:** 82,80 €

**Category:** Ölsperren, Öl (oil only), Oil-only absorbent booms, socks and pillows

**URL:** <http://www.oread.eu/oil-o.../bariboom-4-m-detail.html>

Oil-only absorbent booms contain and absorb spills on water or land before they can spread. They float for confining and soaking up oil spills on water but can also be used for land-based spills.

- \* Rope running along length of boom adds strength for deployment and retrieval
- \* Strong metal attachment clips and allow to connect booms together for greater length
- \* Contained absorbent makes cleanup quick and easy
- \* Polypropylene filler is chemical-resistant and hydrophobic for containing and absorbing oil-based spills in a variety of environments; holds in liquid, even when fully saturated
- \* Tough outer net resists snags and debris while remaining pliable
- \* Absorbs and retains oils and oil-based liquids—including lubricants and fuels—without absorbing water
- \* Can be used on land but also floats to confine and soak up spills on water
- \* Bright white color is easier to see in outdoor environments

### Parameters of product

Length in cm:	300
Diameter in cm:	20
Absorption (liter/unit):	288
Weight (kg/unit):	18
Pieces per unit:	4

Oil-only absorbents

## Oil-only absorbent booms, socks and pillows

### Bariboom 4 MS



Oil only absorbent booms (Ø 13 cm)

**Price:** 0,00 €

**Category:** Oil-only absorbent booms, socks and pillows

**URL:**

<http://www.oread.eu/oil-o...bariboom-4-ms-detail.html>

Oil-only absorbent booms contain and absorb spills on water or land before they can spread. They float for confining and soaking up oil spills on water but can also be used for land-based spills.

- \* Rope running along length of boom adds strength for deployment and retrieval

- \* Strong metal attachment clips and allow to connect booms together for greater length
- \* Contained absorbent makes cleanup quick and easy
- \* Polypropylene filler is chemical-resistant and hydrophobic for containing and absorbing oil-based spills in a variety of environments; holds in liquid, even when fully saturated
- \* Tough outer net resists snags and debris while remaining pliable
- \* Absorbs and retains oils and oil-based liquids—including lubricants and fuels—without absorbing water
- \* Can be used on land but also floats to confine and soak up spills on water
- \* Bright white color is easier to see in outdoor environments

### Parameters of product

Length in:	300 cm
Diameter in:	13 cm
Absorption:	185 (liter/unit)
Weight:	10 (kg/unit)
Pieces per unit:	4

Oil-only absorbents

## Oil-only absorbent booms, socks and pillows

### Barisock M



Oil-only absorbent socks

**Price:** 42,00 €

**Category:** Ölsperren, Öl (oil only), Oil-only absorbent booms, socks and pillows

**URL:** <http://www.oread.eu/oil-o...ws/barisock-m-detail.html>

Surround and absorb oil-based liquids without absorbing water. Polypropylene filler is hydrophobic for containing and absorbing oil-based spills in a variety of environments

Polyester skin is chemical- and tear-resistant; reduces

dust and holds in liquid, even when fully saturated Absorbs and retains oils and oil-based liquids without absorbing water Contained absorbent makes cleanup quick and easy

### Parameters of product

Length (cm):	122
Diameter (cm):	7,5
Absorption (Liter/Unit):	134
Weight (kg):	8,2
Number of socks per unit:	20

Oil-only absorbents

## Oil-only absorbent booms, socks and pillows

### Barisock M XXL



Oil-only absorbent socks XL

**Price:** 43,20 €

**Category:** Ölsperren, Öl (oil only), Oil-only absorbent booms, socks and pillows

**URL:** <http://www.oread.eu/oil-o...arisock-m-xxl-detail.html>

Surround and absorb oil-based liquids without absorbing water. Polypropylene filler is hydrophobic for containing and absorbing oil-based spills in a variety of environments Polyester skin is chemical- and tear-resistant; reduces dust and holds in liquid, even when fully saturated Absorbs and retains oils and oil-based liquids without absorbing water Contained absorbent makes cleanup quick and easy

#### Parameters of product

Lenght (cm):	300
Diameter (cm):	7,5
Absorption (liter / unit):	134
Weight(kg):	8,4
Number of socks per unit:	8

Oil-only absorbents

## Oil-only absorbent booms, socks and pillows

### DPPO



Oil-only drip pan pillows in a pan

**Price:** 38,40 €

**Category:** Öl (oil only), Oil-only absorbent booms, socks and pillows

**URL:** <http://www.oread.eu/oil-o...-pillows/dppo-detail.html>

Oil-only drip pan pillows in a pan are ideal to catch leaks and drips coming from spigots, machinery or common places where drips and leaks happen. You can continuously use the drip pan while only replacing the oil

absorbent pillow.

- \* Keep the drip pan - just replace the oil pillow
- \* Comes complete with 4 reusable drip pans and 20 oil-only absorbent pillows filled with 100% polypropylene for maximum absorbency
- \* Drip pans ideal for use under leaky spigots, dripping pipes and in other problem areas

For a refill, please [click here](#)

#### Parameters of product

length (cm):	25
Width (cm):	25
Height (cm):	8
Absorption (liter/unit):	64
Weight(kg):	5
Pieces per unit:	4 drip pans and 20 oil pillows

Oil-only absorbents

## Oil-only absorbent booms, socks and pillows

### DPPO R



Refill pack / oil-only drip pan pillows

**Price:** 31,20 €

**Category:** Öl (oil only), Oil-only absorbent booms, socks and pillows

**URL:** <http://www.oread.eu/oil-o...illows/dppo-r-detail.html>

The refill pack / oil-only drip pan pillows is ideal to catch leaks and drips coming from spigots, machinery or common places where drips and leaks happen.

- \* Comes with 20 DPPO - oil-only absorbent pillows filled with 100% polypropylene for maximum absorbency.
- \* Ideal for use under leaky spigots, dripping pipes and in other problem areas.

#### Parameters of product

Weight (kg):	4,0
Pieces per unit:	20
Dimension of pillows (cm):	25 x 25 x 4

Oil-only absorbents

## Oil-only absorbent booms, socks and pillows

### Barisump 10 M





#### Oil-only absorbent sump skimmer booms

**Price:** 69,60 €

**Category:** Ölsperren, Oil-only absorbent booms, socks and pillows

**URL:**

<http://www.oread.eu/oil-o...barisump-10-m-detail.html>

Keep your sumps, tanks and bilges oil-free with the easy-to-retrieve Sump boom. Simply lower this floating boom/skimmer into any water-based liquid to absorb even the thickest oils without taking in any water.

- \* Contained absorbent makes cleanup quick and easy
- \* Polypropylene filler is chemical-resistant and hydrophobic for containing and absorbing oil-based spills; holds in liquid, even when fully saturated
- \* Tough outer mesh lets fluids easily pass through to filler material
- \* Absorbs and retains oils and oil-based liquids—including lubricants and fuels—without absorbing water
- \* Floats on water to soak up unwanted oil-based fluids that collect in sumps, tanks and bilges
- \* Bright white color makes absorbed oil easier to see; clearly shows saturation level

#### Parameters of product

Length (cm):	50
Diameter (cm):	20
Absorption (liter / unit):	138
Weight (kg):	8.6
Number of pieces per unit:	10

Oil-only absorbents

**Oil-only absorbent booms, socks and pillows**  
**TS 553 Oread oil-only test-set**





Ideal opportunity to test a selection of Oread sorbents

**Price:** 0,00 €

**Category:** Ölbindevlies, Öl (oil only), Oil-only absorbent pads and rolls, Oil-only absorbent booms, socks and pillows

**URL:** <http://www.oread.eu/oil-o...only-test-set-detail.html>

\* 5 premium low - linting oil-only pads (Padey 100 MP)

43 x 48 cm

\* 5 economical oil-only pads (Padex 100 ME) 43 x 48 cm

\* 3 oil-only socks (Barisock M) 120 x 7,5 cm

Weight: 1.9 kg

Oil-only absorbents

## Oil-only spill kits

### MSK 203 B



Oil-only spill kit in a rugged Bag

**Price:** 39,60 €

**Category:** Oil-only spill kits

**URL:** <http://www.oread.eu/oil-o...its/msk-203-b-detail.html>

\* Each spill kit absorbs all petroleum-based liquids while repelling water

\* Rugged bag is packed with 20 pads, 3 socks, one

SD10132 and 3 PVC bags

\* The rugged bag stores spill response supplies, then act as a temporary disposal bag

\* Absorbency: 35-45 liters, depending on the viscosity of the oil absorbed

**Composition:** Rugged bag, 50 cm x 50 cm x 20 cm

3 Oil Only Socks, 7.5 x 120 cm

20 Low-linting Premium Oil Only Absorbent Pads, 48 x 43 cm

3 PVC plastic bags

1 Pre-Mixed Plugging and Sealing Putty, 0.5 kg  
1 pair of gloves

### Parameters of product

Length (cm): 50  
Width (cm): 50  
Height (cm): 20  
Weight (kg): 3.1  
Pieces per unit: 1  
Absorption capacity of absorbent material (l) approx. 42

Oil-only absorbents

## Oil-only spill kits MSK 508 B



Oil-only spill kit maxi in a rugged bag

**Price:** 0,00 €

**Category:** Oil-only spill kits

**URL:** <http://www.oread.eu/oil-o...its/msk-508-b-detail.html>

\* Each spill kit absorbs acids, bases and many other liquids [compatibility guide].

\* Rugged bag is packed with 50 universal pads, 8 universal socks, one pre-mixed plugging and sealing putty and 3 PVC bags.

\* The rugged bag stores spill response supplies, then acts as a temporary disposal bag.

\* Absorbency of the absorbents contained: 80-120 liters, depending on viscosity of oil.

**Composition:** Rugged bag, 50 cm x 48 cm x 35 cm

8 oil-only socks ( [Barisock M](#) ), 7.5 x 120 cm

50 low-linting premium oil-only absorbent pads ( [Padex 100 MP](#) ), 48 x 43 cm

3 PVC plastic bags

1 pre-mixed plugging and sealing putty ( [PS PM](#) ), 0.5 kg

1 pair of gloves

### Parameters of product:

Length: 50 cm  
Width: 48 cm  
Height: 35 cm  
Weight: 7,4 kg  
Pieces per unit: 1

Oil-only absorbents

## Oil-only spill kits OSK 104 C



Wheeled container oil-only spill kit

**Price:** 141,60 €

**Category:** Öl (oil only), Oil-only spill kits

**URL:** <http://www.oread.eu/oil-o...its/osk-104-c-detail.html>

Use this wheeled kit to bring Oread absorbents directly to a large oil or oil-based spill — all in a highly visible container that really stands out!

- \* Use socks to confine spill before it can spread; use pads to soak up spill
- \* Bright yellow lid stands out, so you can find it when you need it;
- \* Hinged lid allows for easy access and keeps kit contents clean and dry prior to use; not for outdoor storage
- \* 100% polyethylene container is light-weight
- \* Absorbency: Approx. 90 liters
- \* Need a custom kit? Call us!

**Composition :** 1 wheeled container

1 9-kg-bag of absorbent granules ( **AU 1000** )

20 low-linting premium oil-only absorbent pads, 48 x 43 cm ( **Padex 100 MP** )

4 oil-only absorbing socks, 7.5 x 120 cm ( **Barisock M** )

1 bottle with 0,5 l of a super-concentrated biodegradable degreaser that can be diluted 1:50 ( **Citro 3000** )

1 pair of gloves

1 pair of glasses

1 detachable broom

1 detachable shuffle

3 black plastic bags

**Parameters of product**

Absorption capacity of absorbent material (l): 50

Dimensions of wheeled container in cm (w x l x h): 51 x 53 x 85

Capacity of wheeled container (l): 100

Weight of complete wheeled container oil-only spill kit (kg): 18

Universal absorbents

## Universal absorbent pads and rolls

### Padex 100 UEP



Universal absorbent pads traffic

**Price:** 38,64 €

**Category:** Universal absorbent pads and rolls

**URL:**

<http://www.oread.eu/unive...dex-100-uep-1-detail.html>

Universal absorbent pads traffic absorb leaks and spills to keep floors dry and workers safe to walk on.

Padex 100 UEP - universal absorbent pads traffic are made of 100% polypropylene and are perforated so that it

can be adjusted for all kinds of applications.

**Applications:** Universal absorbent pads traffic are ideal for use in factories, garages, laboratories or anywhere where chemicals need to be absorbed.

- \* 100% meltblown polypropylene for superior absorption.
- \* Absorbs and retains oils, coolants, solvents, water and many types of other chemicals.
- \* Dark grey color hides dirt, so Padex 100 UEP stay on the job longer.
- \* Perforated material is easy to tear to size so you only use what you need.
- \* Universal absorbent pads traffic are ideal for catching drips and soaking up spills.
- \* Flame-resistant material won't burn immediately like cellulose; melts when exposed to high heat while on the job.
- \* Non toxic, non-reactive and fast acting.

For a similar version of this product, please click [here](#).

#### Parameters of product

Length:	43 cm
Width in:	48 cm
Absorption:	86 l per unit
Weight in:	6.0 kg per unit
Pieces per unit:	100

Universal absorbents

## Universal absorbent pads and rolls

### Padex 100 UP



Low-linting premium universal absorbent pads

**Price:** 50,04 €

**Category:** Universal absorbent pads and rolls

**URL:**

<http://www.oread.eu/unive.../padex-100-up-detail.html>

Padex 100 UP - low-linting premium universal absorbent pads absorb leaks and spills to keep floors dry and workers safe. They consist of a polypropylene core with a fine fiber layer on both sides. This procedure makes the

Padex 100 UP extremely low-linting and improves the absorption ability (wicking) and strength of the material. Padex 100 UP - low-linting premium universal absorbent pads are perforated, so that it can be adjusted for all kinds of applications.

**Applications:** Padex 100 UP, the low-linting premium universal absorbent pads are ideal for use in factories, garages, laboratories or anywhere where chemicals need to be absorbed.

- \* Low-linting. Superior absorbtion.
- \* Absorb and retain oils, coolants, solvents, water and many types of other chemicals.
- \* Dark gray color hides dirt - gives possibility to stay on the job for a longer period.
- \* 100% meltblown polypropylene covered with a fine fiber layer on both sides; won't rip, tear or fray even when saturated.
- \* Dimple pattern speeds wicking of liquid throughout the material for faster, easier cleanup.
- \* Perforated material is easy to tear to size, so you only use, what you need.
- \* Padex 100 UP - low-linting premium universal absorbent pads are ideal for catching drips and soaking up spills.
- \* Flame-resistant material won't burn immediately like cellulose; melts when exposed to high heat while on the job.
- \* Non toxic, non reactive and fast acting.

For a similar but more economic product [click here](#).

#### **Parameters of product:**

Lenth:	43 cm
Width:	48 cm
Absorption:	86 l/unit
Weight:	7.2 kg
Pieces per unit:	100

Universal absorbents

## Universal absorbent pads and rolls

### DTU 25



Universal absorbent drum toppers

**Price:** 28,80 €

**Category:** Universal absorbent pads and rolls

**URL:** <http://www.oread.eu/unive...-rolls/dtu-25-detail.html>

Absorb pump drips to keep drum tops clean and floors safe. DTU 25 - universal absorbent drum toppers prevent puddles and dirty rags from accumulating on top of your 200 liter drums.

- \* Precut with hole for pump to provide a perfect fit on 200 liter drum tops.
- \* Soak up pump drips without cluttering up your work space with dirty rags.
- \* 100% polypropylene covered with a fine fiber layer on both sides for superior absorbency.
- \* Dimple pattern speeds wicking of liquid for faster, easier cleanup.
- \* Highly absorbent, dimpled pad won't leave behind liquids or fiber residue.
- \* Absorbs and retains oils, coolants, solvents, water and many types of other chemicals.
- \* Flame-resistant material won't burn immediately like cellulose; melts when exposed to high heat while on the job.

#### Parameters of product

Diameter:	55 cm
Absorption capacity:	38 l/unit
Weight:	3.2 kg
Pieces per unit:	25

Universal absorbents

## Universal absorbent pads and rolls

### Roldex UP



Low-linting premium universal absorbent rolls

**Price:** 84,00 €

**Category:** Universal absorbent pads and rolls

**URL:** <http://www.oread.eu/unive...lls/roldex-up-detail.html>

Roldex UP - low-linting premium universal absorbent rolls absorb leaks and spills to keep floors dry and workers safe. They have a polypropylene core with a fine fiber layer on both sides. This procedure makes Roldex UP extremely low-linting and improves the absorption ability (wicking) and strength of the material. Perforation makes Roldex UP easily adjustable for all kinds of applications.

**Applications:** Roldex UP - low-linting premium universal absorbent rolls are ideal for use in factories, garages, laboratories or anywhere where chemicals need to be absorbed.

- \* Low linting. Superior absorption.
- \* Absorbs and retains oils, coolants, solvents, water and many types of other chemicals.
- \* Dark gray color hides dirt, what makes them stay on the job for a longer period.
- \* 100% meltblown polypropylene covered with a fine fiber layer on both sides; won't rip, tear or fray even when saturated.
- \* Dimple pattern speeds wicking of liquid throughout the material for faster, easier cleanup.
- \* Perforated material is easy to tear to size so you only use what you need.
- \* Ideal for catching drips and soaking up spills.
- \* Flame-resistant material won't burn immediately like cellulose; melts when exposed to high heat while on the job.
- \* Non toxic, non reactive and fast acting.

Looking for a similar but more economic product - [click here](#)

### Parameters of product

Lenth:	44 m
Width:	96 or 48 cm
Absorption capacity:	178 l/unit
Weight:	14.8 kg
Pieces per unit:	1 x 96 cm or 2 x 48 cm



Universal absorbents

## Universal absorbent pads and rolls

### Roldex UEP



Economical universal absorbent rolls

**Price:** 117,60 €

**Category:** Universal absorbent pads and rolls

**URL:** <http://www.oread.eu/unive...ls/roldex-uep-detail.html>

Roldex UEP - economical universal absorbent rolls absorb leaks and spills to keep floors dry and workers safe; withstands pedestrian and forklift traffic. They are made of 100% polypropylene and perforated, so that they can be easily adjusted for all kinds of applications.

**Applications:** The economical universal absorbent rolls Roldex UEP are ideal for use in factories, garages, laboratories or anywhere, where chemicals need to be absorbed and resistance against pedestrian and forklift traffic is important.

- \* 100% meltblown polypropylene for superior absorption.
- \* Absorb and retain oils, coolants, solvents, water and many types of other chemicals.
- \* Dark gray color hides dirt, so they can stay on the job for a longer period.
- \* Perforated material is easy to tear to size, so you only use what you need.
- \* Ideal for catching drips and soaking up spills.
- \* Flame-resistant material won't burn immediately like cellulose; melts when exposed to high heat while on the job.
- \* Non toxic, non-reactive and fast acting.

For the premium version of this product, [click here](#)

#### Parameters of product

Length:	44 m
Width:	96 or 48 cm
Absorption capacity:	134 l/unit
Weight:	11,2 kg
Pieces per unit:	1 x 96 cm or 2 x 48 cm

Universal absorbents

## Universal absorbent pads and rolls

### Samsonex NP





High traffic heavy duty absorbent roll

**Price:** 236,40 €

**Category:** Universal absorbent pads and rolls

**URL:**

<http://www.oread.eu/unive...s/samsonex-np-detail.html>

High traffic heavy duty absorbent roll Samsonex NP is perfect for high-traffic walkways. Keep walkways dry and safe with this highly durable, absorbent rug.

Samsonex NP, the high traffic heavy duty absorbent roll won't rip under heavy forklift traffic.

- \* 100% polypropylene material is needle-punched for incredible durability; won't rip under forklift traffic.
- \* Absorbs and retains oils, coolants, solvents, water and other chemicals.
- \* Dark gray color hides grime, therefore Samsonex NP stays on the job for a longer period.
- \* Ideal for covering large areas and soaking up leaks.
- \* Flame-resistant material won't burn immediately like cellulose mats; melts when exposed to high heat while on the job.

#### Parameters of product

Length: 45 m

Width: 91 cm

Weight: 24 kg

Universal absorbents

## Universal absorbent pads and rolls

### Samsonex NPB



High traffic absorbent roll with poly backing

**Price:** 237,60 €

**Category:** Universal absorbent pads and rolls

**URL:**

<http://www.oread.eu/unive.../samsonex-npb-detail.html>

Samsonex NPB, the high traffic absorbent roll with poly backing is perfect for high-traffic walkways. Keep walkways dry and safe with this highly durable, absorbent rug. Poly backing prevents absorbed liquids from reaching

floors.

Samsonex NPB, the high traffic absorbent roll with poly backing won't rip under heavy forklift traffic.

- \* 100% polypropylene material is needle-punched for incredible durability; won't rip under forklift traffic.
- \* Absorbs and retains oils, coolants, solvents, water and other chemicals.
- \* Poly backing prevents absorbed liquids from reaching floors.
- \* Dark gray color hides grime, so Samsonex NPB stays on the job for a longer period.
- \* Ideal for covering large areas and soaking up leaks.
- \* Flame-resistant material won't burn immediately like cellulose mats; melts when exposed to high heat while on the job.

#### Parameters of product

Length: 45 m  
Width: 91 cm  
Weight: 12 kg  
Pieces per unit: 1

Universal absorbents

## Absorbent granules AP2000



Universal absorbent fine granules

**Price:** 5,88 €

**Category:** Absorbent granules

**URL:**

<http://www.oread.eu/unive...ules-1/ap2000-detail.html>

Suitable for industrial use, AP2000 remains granular even when saturated. Ideal for oils, chemicals including strong acids except for hydrochloric acid.

#### Parameters of product

Absorption capacity: 9,3 (l fuel oil/bag)  
Bulk weight: 489 (g/l)  
Granules: 0,5-1 mm  
Weight: 9,5 kg

Universal absorbents

## Absorbent granules AU1000



Universal absorbent coarse granules

**Price:** 5,04 €

**Category:** Absorbent granules

**URL:**

<http://www.oread.eu/unive...ules-1/au1000-detail.html>

Suitable for road use, AU1000 remains granular even when saturated. Ideal for oils, chemicals including strong acids.

AU 1000 is a fast acting and safe (chemically non-reactive) absorbent: All types of chemicals, such as water, oil and other chemicals (excl. hydrofluoric acid) on hard surfaces will be absorbed quickly and encapsulated in the porous structure of the granules

AU1000 works quickly because of its high absorption capacity. That means you will save time when removing liquids. A higher absorption capacity also means that you will need less material and reduce the amount of waste. AU1000 is non-slippery

AU 1000 is a natural mineral product. It is not water repellent and will not float on water. Applications: AU1000 is an absorption granule that can be used inside as well as outside because of its relatively large particles (1-3 mm). It can be used preventative and in maintenance situations. It is ideal to clean and secure industrial floors or to remove oil from roads and high ways.

### Parameters of product

Absorption capacity: 8,3 (l fuel oil/unit)

Bulk weight: 485 (g/l)

Granules: 1-3 mm

Weight: 9,5 kg

Universal absorbents

## Absorbent granules OG 30



Oread absorbent granules

**Price:** 7,56 €

**Category:** Absorbent granules

**URL:** <http://www.oread.eu/unive...nules-1/og-30-detail.html>

Oread absorbent granules OG 30 absorb leaks and spills to keep floors dry and workers safe.

If a loose product is important then Oread Absorbent Granules are the most absorbent, as the granules have been designed to create a spatial structure that allows

entrapment of large volumes of liquids. Importantly, if the Oread Absorbent Granules contaminate lubricants, their softer structure will not harm the machines.

Non-flammable Cost effective 3 times more absorbent than clay granules Moreover, the product is environmental friendly as the raw material is 100% recycled waste.

Oread Absorbent Granules are ideal for use in factories, garages, laboratories or anywhere where chemicals need to be absorbed.

- \* Absorbs and retains oils, coolants, solvents, water and many types of other chemicals
- \* Clay/Cellulose mix of gray color which hides dirt, so Oread Absorbent Granules stay on the job longer
- \* Oread Absorbent Granules are ideal for catching drips and soaking up spills
- \* Non-flammable
- \* environmental friendly

#### **Parameters of product**

Absorption: 16 l/unit

Weight: 12 kg/bag (30 l)

Pieces per unit: 2

Universal absorbents

**Universal absorbent socks and pillows**

**Bariex U**



Absorbent universal socks

**Price:** 38,40 €

**Category:** Universal absorbent socks and pillows

**URL:** <http://www.oread.eu/unive...lows/bariex-u-detail.html>

Bariex U, moldable socks are ideal to surround machine bases and contain spills:

- \* Polypropylene filler is highly absorbent for big spills.
- \* Polyester skin is chemical- and tear-resistant; reduces dust and holds in liquid, even when fully saturated.
- \* Absorbs and retains oils, coolants, solvents, water and other chemicals.
- \* Contained absorbent makes cleanup quick and easy.

#### Parameters of product

Length:	120 cm
Width:	7,5 cm
Absorption capacity:	90 l/unit
Weight:	7,5 kg/unit
Pieces per unit:	20

Universal absorbents

## Universal absorbent socks and pillows

### DPPU



Universal drip pan pillows in a pan

**Price:** 0,00 €

**Category:** Universal absorbent socks and pillows

**URL:** <http://www.oread.eu/unive...-pillows/dppu-detail.html>

DPPU - Universal drip pan pillows in a pan are ideal to catch leaks and drips coming from spigots, machinery or common places where drips and leaks happen. You can continuously use the drip pan while only replacing the universal absorbent pillow.

- \* Keep the drip pan - just replace the oil pillow
- \* Comes complete with 4 reusable drip pans and 20 oil-only absorbent pillows filled with

100% polypropylene for maximum absorbency

\* Drip pans ideal for use under leaky spigots, dripping pipes and in other problem areas

For a refill, please [click here](#)

### Parameters of product

length:	25 cm
Width:	25 cm
Height:	8 cm
Absorption:	48 l/unit
Weight:	5 kg
Pieces per unit:	4 drip pans and 20 universal pillows

Universal absorbents

## Universal absorbent socks and pillows DPPU R

Refill pack / universal drip pan pillow

**Price:** 34,80 €

**Category:** Universal absorbent socks and pillows

**URL:** <http://www.oread.eu/unive...illows/dppu-r-detail.html>



The refill pack / universal drip pan pillows is ideal to catch leaks and drips coming from spigots, machinery or common places where drips and leaks happen.

\* Comes with 20 DPPU - universal absorbent pillows filled with 100% polypropylene for maximum absorbency.

\* Ideal for use under leaky spigots, dripping pipes and in other problem areas

### Parameters of product

Weight (kg):	4,0
Pieces per unit:	20
Dimension of pillows (cm):	25 x 25 x 8

Universal absorbents

## Universal spill kits USK 203 B



Universal spill kit in a rugged bag

**Price:** 44,40 €

**Category:** Universal spill kits

**URL:** <http://www.oread.eu/unive...its/usk-203-b-detail.html>

\* Each spill kit absorbs acids, bases and many other liquids [compatibility guide].

\* Rugged bag is packed with 20 universal pads, 3 universal socks, one pre-mixed plugging and sealing putty and 3 PVC bags.

\* The rugged bag stores spill response supplies, then acts as a temporary disposal bag.

\* Absorbency of the absorbents contained: 30 liters.

**Composition:** Rugged bag, 50 cm x 48 cm x 15 cm

3 Universal Socks (Bariex U), 7.5 x 120 cm

20 Low-linting premium universal absorbent pads (Padex 100 UP), 48 x 43 cm

3 PVC plastic bags

1 pre-mixed plugging and sealing putty (PS PM), 0.5 kg

1 pair of gloves

**Parameters of product:**

Length: 50 cm

Width: 48 cm

Height: 15 cm

Weight: 3 kg

Pieces per unit: 1

Universal absorbents

**Universal spill kits**

**USK 508 B**



Universal spill kit maxi in a rugged bag

**Price:** 0,00 €

**Category:** Universal spill kits

**URL:** <http://www.oread.eu/unive...its/usk-508-b-detail.html>

\* Each spill kit absorbs acids, bases and many other liquids [compatibility guide].

- \* Rugged bag is packed with 50 universal pads, 8 universal socks, one pre-mixed plugging and sealing putty and 3 PVC bags.
- \* The rugged bag stores spill response supplies, then acts as a temporary disposal bag.
- \* Absorbency of the absorbents contained: About 78 liters.

**Composition:** Rugged bag, 50 cm x 48 cm x 35 cm

8 Universal Socks (Bariex U), 7.5 x 120 cm

50 Low-linting premium universal absorbent pads (Padex 100 UP), 48 x 43 cm

3 PVC plastic bags

1 pre-mixed plugging and sealing putty (PS PM), 0.5 kg

1 pair of gloves

**Parameters of product:**

Length: 50 cm

Width: 48 cm

Height: 35 cm

Weight: 7 kg

Pieces per unit: 1

Universal absorbents

**Universal spill kits**

**USK 104 C**





Wheeled container universal spill kit

**Price:** 145,20 €

**Category:** Universal spill kits

**URL:** <http://www.oread.eu/unive...its/usk-104-c-detail.html>

Use this wheeled kit to bring Oread absorbents directly to a chemical spill — all in a highly visible container that really stands out!

- \* Use socks to confine spill before it can spread; use pads to soak up spill.
- \* Bright yellow lid stands out, so you can find it, when you need it.
- \* Hinged lid allows for easy access and keeps kit contents clean and dry prior to use; mot for outdoor storage.
- \* 100% polyethylene container is light-weight.
- \* Absorbency of contained absorbents: About 40 liters
- \* Need a custom kit? Call us!

**Composition:** 1 wheeled container

1 9-kg-bag of absorbent granules ( **AU 1000** )

20 low-linting premium universal absorbent pads, 48 x 43 cm ( **Padex 100 UP** )

4 universal socks, 7.5 x 120 cm (Bariex U)

1 bottle with 0,5 l of a super-concentrated biodegradable degreaser that can be diluted 1:50 ( **Citro 3000** )

1 pair of gloves

1 pair of glasses

1 detachable broom

1 detachable shuffle

3 black plastic bags

**Parameters of product**

Absorption capacity of contained absorbents (l): 40

Dimensions of wheeled container in cm (LxWxH): 51x53x85

Volume of wheeled container (l): 100

Total weight of wheeled container universal spill kit (kg): 18

Emergency repairs

**PS PM**



Pre-mixed plugging and sealing putty

**Price:** 7,80 €

**Category:** Emergency repairs

**URL:**

<http://www.oread.eu/emerg...repairs/ps-pm-detail.html>

Bentonite clay granules that forms a barrier to liquids. No surface preparation required. Non-toxic. Allows for rapid response to leaks. Sticks to dirty/rusty/greasy surfaces instantly.

PS PM pre-mixed plugging and sealing putty is ready to use. Applies directly onto leaking container to form a seal. Supplied in a plastic pail.

#### Parameters of product

Weight: 0.5 kg

Pieces per unit: 1

Emergency repairs

**PS G**



Plugging & diking granules

**Price:** 31,20 €

**Category:** Emergency repairs

**URL:** <http://www.oread.eu/emerg...-repairs/ps-g-detail.html>

Bentonite clay granules that forms a barrier to liquids. No surface preparation required. Non-toxic. Allows for rapid response to leaks. Sticks to dirty/rusty/greasy surfaces instantly.

Just mix with water to form a barrier. No surface preparation is required. Applies directly onto leaking container to form a seal. Supplied in a plastic pail.

#### Parameters of product

Material: granules

Weight in kg: 5 kg

Emergency repairs

**ES 113**



Underwater repair epoxy stick

**Price:** 19,20 €

**Category:** Emergency repairs

**URL:**

<http://www.oread.eu/emerg...epairs/es-113-detail.html>

ES 113 is a 2-component, room temperature curing epoxy adhesive used for high strength, permanent bonding of metals, ceramics, concrete, wood, glass and most plastics. This product can withstand temperatures up to 149°C.

### Product features

- \* Premeasured resin and hardener for easy application, consistent strength and time savings - no waste, no mess, no clumping.
- \* Bonds virtually any material.
- \* Repair, fill and seal holes, cracks and worn surfaces.
- \* May be drilled, tapped, sanded, or machined and painted after cure.

### Special features

Underwater repair epoxy stick ES 113 works on both wet and dry surfaces and sets up and cures under water. This putty like material is ideal for plumbing, irrigation and marine applications because it is unaffected by chlorinated or salt water. It is hand-kneadable, available in "tear-off" strips and fully cures in one hour.

### Typical applications

Plug and fill cracks, leaks and holes on pipes, fittings, tanks, valves and pumps especially in plumbing, irrigation and marine applications where applications are underwater.

### Directions for use

1. For best adhesion, clean and roughen surfaces prior to application.
2. Twist off desired amount.
3. Knead to uniform color.
4. Fill or plug crack or hole.
5. Repairs should be in place within 15 minutes.

### Properties of uncured material (typical value)

Chemical Type	Epoxy and resin
Appearance	Green/white putty stick
Odor	Amine
Specific Gravity	1.9
Viscosity	Flow similar to window putty
Flash Point	>93 °C

### Properties of cured material (typical value)

Appearance	White
------------	-------


### Parameters of product

Weight (kg): 0,113

Pieces per unit: 6

Emergency repairs

## Joband



Oread emergency pipe repair kit

**Price:** 31,80 €

**Category:** Emergency repairs

**URL:**

<http://www.oread.eu/emerg...epairs/joband-detail.html>

Joband is a unique product that provides an easy and fast way to repair pipes in a wide range of situations.

The Oread emergency pipe repair kit consists of a roll of fiberglass bandage impregnated with water-activated

polyurethane resin, a stick of epoxy putty and a pair of gloves. It's simple to use with no mixing or measuring required, yet results in a strong, superior pipe repair, able to withstand internal pressures up to 2500 k.P.a.. You simply immerse the bandage in water for 10 seconds, and then apply by wrapping around the damaged pipe area. A successful pipe repair can be achieved in only 30 minutes.

Joband, the Oread emergency pipe repair kit has numerous applications for different

emergency pipe repair situations throughout a wide range of industries, including the mining, industrial, oil and gas, processing and marine industries.

Catalyst	Water
Resin make up	Polyurethane
Heat resistance	150 C°
Bonds	PVC, copper, steel, iron, galvanized pipes, concrete, fiberglass
Sets	20-30 minutes, sets under water
Resistant to	most diluted chemicals and fuels
Strength qualities	Internal pressure up to 1000 k.P.a

### Parameters of product

Length of bandage: 360 cm  
 Width of bandage: 5 cm  
 Epoxy putty 1 stick  
 Gloves 1 pair  
 Weight 0.2 kg

## Emergency repairs RNDC 01



Oread reusable neoprene drain cover

**Price:** 58,80 €

**Category:** Emergency repairs

**URL:** <http://www.oread.eu/emerg...pairs/rndc-01-detail.html>

RNDC 01, the reusable neoprene drain cover for drain protection is resistant to oil, water and most chemicals.

- \* Quick to deploy.
- \* Effective.
- \* Reusable with simple washing.
- \* For use on rough or smooth surfaces.
- \* Flexible.

---

## Parameters of product

Length:	100 cm
Width:	100 cm
Thickness:	2 mm
Weight:	3 kg

Emergency repairs

## RPDC 90



Oread reusable polyurethane drain cover - 90 cm

**Price:** 200,40 €

**Category:** Emergency repairs

**URL:**

<http://www.oread.eu/emerg...pairs/rpdc-90-detail.html>

RPDC 60 offers a cost effective and simple solution for drain protection. Tough, durable and flexible this polyurethane drain cover is resistant to oil, water and most chemicals. The drain cover is quick to deploy whilst being reusable with simple washing. Provides a positive sticky seal combined with being high in visibility due to its bright yellow color.

- \* Resistant to oil, water and most chemicals.
- \* High visibility.
- \* Reusable with simple washing.
- \* Tough, durable & flexible.
- \* Quick to deploy.

The Rolls Royce among drain covers!

## Parameters of product

Length:	90 cm
Width:	90 cm
Thickness:	1,3 cm
Weight:	10,9 kg
Pieces per unit:	1

Emergency repairs

## RPDC 60



Oread reusable polyurethane drain cover - 60 cm

**Price:** 96,00 €

**Category:** Emergency repairs

**URL:**

<http://www.oread.eu/emerg...pairs/rpdc-60-detail.html>

RPDC 60 offers a cost effective and simple solution for drain protection. Tough, durable and flexible this polyurethane drain cover is resistant to oil, water and most chemicals. The drain cover is quick to deploy whilst being reusable with simple washing. Provides a positive sticky seal combined with being high in visibility due to its bright yellow color.

- \* Resistant to oil, water and most chemicals.
- \* High visibility.
- \* Reusable with simple washing.
- \* Tough, durable & flexible.
- \* Quick to deploy.

The Rolls Royce among drain covers!

#### **Parameters of product**

Length:	60 cm
Width:	60 cm
Thickness:	1,3 cm
Weight:	5,4 kg
Pieces per unit:	1

Degreaser

**Citro 3000**



Degreaser

**Price:** 0,00 €

**Category:** Degreaser

**URL:** <http://www.oread.eu/degre...er/citro-3000-detail.html>

Citro 3000 is a clear orange citrus fragranced cleaning agent, especially designed for degreasing and removing oil at areas, where waste product can only be disposed of in storm drains. It is a safe alternative to many highly alkaline products used for similar tasks. The product does not

contain sodium hydroxide or potassium hydroxide. It is not classified under the current C.H.I.P legislation and satisfies international tests carried out on unicellular algae and invertebrates representative of both fresh and salt water environments.

**Application fields:** For the effective removal of oil from tarmac and concrete surfaces. For general cleaning of oil rigs, garage floors, ship decks, diesel islands, forecourts, floors and the general cleaning of most hard surfaces. It can be used through steam cleaning machines and cold pressure washers.

**Directions For Use:** Dilute at around 2% ie.100 ml per 5 liters of warm to hot water (3-4 pump measures).

**Cleaning guide:** 1. Sweep floor area thoroughly. 2. The diluted solution chosen should be mixed in a clean bucket.

3. With a clean mop, apply to the area to be cleaned (for large areas clean in sections).

4. For stubborn soilings levels, use of a deck scrubber may be necessary.

5. Rinse floor area thoroughly with fresh water and allow to air dry.

**Health & Safety:**

Wear rubber or pvc gloves.

Keep out of reach of children.

Safety data sheets are available for professional users.

Keep from freezing.

2 x 5 liters or 6 x 0,5 liters

Available with your logo.